

A100 - Grip Glove - Latex

Collection: General Handling

Range: Hand Protection

Materials: Polyester, Elastic

Dipping:

Inner Pack: 12

Outer Carton: 216

Product information

Premium quality latex palm dipped 10 gauge glove which provides good tear and abrasion resistance, for secure handling in both wet and dry conditions. Open back for ventilation and ergonomic design to reduce hand fatigue.

General Handling

The general handling and grip glove category is one of the most popular collections within the Portwest hand protection range. A carefully selected range of coatings, including latex, nitrile, polyurethane and PVC, provides a broad range of styles suited to a diverse range of tasks.

Hand Protection

A wide and increasing range of hand protection products is available. In order to help cater to every need. Only the best materials and manufacturing methods are used in the production of Portwests' extensive range of Hand Protection products....

Standards

EN ISO 21420: 2020 Dexterity 4

EN 388: 2016 + A1: 2018 (2143A)

ANSI/ISEA 105: 2016 CUT Level (A1)



Features

- Latex foam coating for excellent grip in wet and dry conditions
- Crinkle latex grip offers excellent grip
- Tough 10 gauge liner
- Breathable seamless liner
- Premium quality work glove
- Open back for breathability
- CE certified
- UKCA marked
- ANSI cut level A1
- ANSI abrasion level 2

A100 - Grip Glove - Latex

Commodity Code: 6116102091

Test House

SATRA Technology Europe Ltd (Notified Body No.: NB: 2777)
Bracetown Business Park
D15 YN2P, Ireland
Cert No: 2777/14699-01/E00-00

SATRA Technology Centre Ltd (Notified Body No.: AB: 0321)
SATRA Technology Park
NN16 8SD, United Kingdom
Cert No: AB0321/21064-01/E00-00

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	GTIN/DUN14
A100GNRM	Green	56.0	30.0	48.0	0.1000	0.0806	5036108301928	25036108603200
A100GNRL	Green	56.0	30.0	48.0	0.1600	0.0806	5036108301911	25036108603194
A100GNRXL	Green	56.0	30.0	48.0	0.1020	0.0806	5036108301935	25036108603217
A100GNRXXL	Green	56.0	30.0	48.0	0.1000	0.0806	5036108301942	25036108689723