

A611 - Aramid HR Cut Latex Glove

Collection: Cut Resistant

Range: Hand Protection

Materials: Polyester, Aramid, Steel Fibre, Elastic

Dipping:

Inner Pack: 12

Outer Carton: 144

Product information

The preferred style of glove for use in the glass industry. The durable aramid liner offers excellent abrasion resistance and EN388:2016 cut level D protection. The crinkle latex coating gives strong secure grip in wet and dry conditions.

Hand Protection

A wide and increasing range of hand protection products is available. In order to help cater to every need. Only the best materials and manufacturing methods are used in the production of Portwests' extensive range of Hand Protection products....

Standards

AS/NZS 2161 .2

AS/NZS 2161 .3

AS/NZS 2161 .4

EN ISO 21420: 2020 Dexterity 5

EN 388:2016 + A1:2018 (3X43D)

EN 407: 2020 (X2XXXX)



Features

- Level D cut resistance
- Provides contact protection up to 250°C for 15 seconds
- Durable Aramid cut resistant liner
- Crinkle latex grip offers excellent grip
- Excellent durability and grip in wet and dry conditions
- Ideal for the glass industry
- Tough 10 gauge liner
- Certified
- Retail tag which aids presentation for retail sales

A611 - Aramid HR Cut Latex Glove

Commodity Code: 6116102091

Test House

CTC (Notified Body No.: 0075)
4, rue Hermann Frenkel
Cedex 07, France
Cert No: 0075/2085/162/03/20/0842

SATRA Technology Centre Ltd (Notified Body No.: AB: 0321)
SATRA Technology Park
NN16 8SD, United Kingdom
Cert No: AB0321/18213-01/E00-00

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	GTIN/DUN14
A611K4RS	Black/Blue	60.0	40.0	52.0	0.0940	0.1248	5036108321544	15036108810311
A611K4RM	Black/Blue	60.0	40.0	52.0	0.1080	0.1248	5036108321537	15036108810304
A611K4RL	Black/Blue	60.0	40.0	52.0	0.1180	0.1248	5036108321520	15036108810298
A611K4RXL	Black/Blue	60.0	40.0	52.0	0.1300	0.1248	5036108321551	15036108810328
A611K4RXXL	Black/Blue	60.0	40.0	52.0	0.1300	0.1248	5036108321568	15036108810335
A611K4RXXXL	Black/Blue	60.0	40.0	52.0	0.1740	0.1248	5036108321575	15036108810342