

A622 - Cut C13 PU Glove

Collection: Cut Resistant

Range: Hand Protection

Materials: HPPE, Elastic, Glass Fibre, Polyester, Elastane

Dipping:

Inner Pack: 12

Outer Carton: 144

Product information

Level C cut resistant glove for protection against cuts and sharp objects. Seamless liner for added comfort and dexterity. EN407 contact heat level 1 provides short term protection against temperatures up to 100°C

Hand Protection

A wide and increasing range of hand protection products is available. In order to help cater to every need. Only the best materials and manufacturing methods are used in the production of Portwests' extensive range of Hand Protection products....

Standards

EN ISO 21420: 2020 Dexterity 5

EN 388: 2016 + A1: 2018 (4X43C)

EN 407: 2020 (X1XXXX)

ANSI/ISEA 105: 2016 CUT Level (A3)

ANSI/ISEA 105: 2016 ABRASION Level (4)



Features

- Level C cut resistance
- 13 gauge liner constructed for durability and precise fitting
- Smooth PU coating for increased abrasion resistance
- Palm dipped to increase dexterity and ventilation
- Protection against contact heat up to 100°C
- Medium risk cut protection
- Breathable seamless liner
- CE certified
- Retail tag which aids presentation for retail sales
- ANSI cut level A3
- Superb abrasion and tear resistance

A622 - Cut C13 PU Glove
Commodity Code: 6116108091

Test House

SATRA Technology Europe Ltd (Notified Body No.: NB: 2777)
Bracetown Business Park
D15 YN2P, Ireland
Cert No: 2777/26244-01/E00-00

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	GTIN/DUN14
A622G7RXS	Grey	51.0	30.0	43.0	0.0560	0.0658	5036108273874	15036108786876
A622G7RS	Grey	51.0	30.0	43.0	0.0590	0.0658	5036108217083	15036108704269
A622G7RM	Grey	51.0	30.0	43.0	0.0600	0.0658	5036108217076	15036108704252
A622G7RL	Grey	51.0	30.0	43.0	0.0740	0.0658	5036108217069	15036108704245
A622G7RXL	Grey	51.0	30.0	43.0	0.0800	0.0658	5036108217090	15036108704276
A622G7RXXL	Grey	51.0	30.0	43.0	0.0840	0.0658	5036108217106	15036108704283
A622G7RXXXL	Grey	51.0	30.0	43.0	0.0920	0.0658	5036108292530	15036108782434