

A665 - VHR Advanced Cut Glove A6

Collection: Cut Resistant

Range: HAND PROTECTION

Materials: HPPE, Steel Fiber, Glass Fiber, Polyester, Elastic, Elastane

Dipping:

Inner Pack: 12

Outer Carton: 144

Product information

ANSI cut level A6Nitrile foam coating for excellent grip in wet and dry conditionsPalm dipped to increase dexterity and ventilationSeamless 13 gauge liner

HAND PROTECTION

A wide and increasing range of Hand Protection styles is available. In order to help cater to every need. Only the best materials and manufacturing methods are used in the production of Portwests' extensive range of Hand Protection products.

Standards

ANSI/ISEA 105 - 2016 CUT Level (A6)
ANSI/ISEA 105 - 2016 ABRASION Level (6)
ANSI/ISEA 105 - 2016 PUNCTURE Level (4)
EN ISO 21420:2020 Dexterity 5
EN 388:2016 +A1:2018 (4X44E)



Features

- ANSI cut level A6
- ANSI abrasion level 6
- Flexible sandy nitrile coating offers great grip in wet and dry conditions
- Constructed from steel fibers and cut resistant materials
- Palm dipped to increase dexterity and ventilation
- Seamless 13 gauge liner
- Retail tag which aids presentation for retail sales

A665 - VHR Advanced Cut Glove A6

Commodity Code: 6116108091

Test House

Intertek Italia S.p.A. (Notified Body No.: NB: 2575)

Via Guido Miglioli 2/A,

-, Italy

Cert No: ITASLNB20005750

Carton Dimensions/Weight

| Item | Colour | Len | Wid | Hgt | Weight(Kg) | Cubic(m ³) | EAN13 | GTIN/DUN14 |
|------------|--------|------|------|------|------------|------------------------|---------------|----------------|
| A665GRRXS | Grey | 45.0 | 37.0 | 27.0 | 0.0830 | 0.0450 | 5036108384266 | 15036108869036 |
| A665GRRS | Grey | 45.0 | 37.0 | 27.0 | 0.0900 | 0.0450 | 5036108312535 | 15036108801098 |
| A665GRRM | Grey | 45.0 | 37.0 | 27.0 | 0.0980 | 0.0450 | 5036108271580 | 15036108761446 |
| A665GRRL | Grey | 45.0 | 37.0 | 27.0 | 0.1080 | 0.0450 | 5036108271573 | 15036108761439 |
| A665GRRXL | Grey | 45.0 | 37.0 | 27.0 | 0.1140 | 0.0450 | 5036108271597 | 15036108761453 |
| A665GRRXXL | Grey | 45.0 | 37.0 | 27.0 | 0.1220 | 0.0450 | 5036108271603 | 15036108761460 |