

A667 - Claymore Cut F13 Nitrile Glove

Collection: Cut Resistant

Range: Hand Protection

Materials: HPPE, Steel Fibre, Basalt, Elastic, Polyester, Elastane

Dipping:

Inner Pack: 12

Outer Carton: 144

Product information

Optimised innovative design. Maximum cut resistance according to EN388:2016. Over 5000 grams of cut resistance achieving ANSI Cut A8. Coating is double sandy nitrile for excellent durability and grip in wet and dry conditions. Seamless 13 gauge liner for increased wearer comfort.

Hand Protection

A wide and increasing range of hand protection products is available. In order to help cater to every need. Only the best materials and manufacturing methods are used in the production of Portwests' extensive range of Hand Protection products....

Standards

EN ISO 21420: 2020 Dexterity 5

EN 388: 2016 + A1: 2018 (4X43F)

ANSI/ISEA 105: 2016 CUT Level (A8)

ANSI/ISEA 105: 2016 ABRASION Level (6)

NO
IMAGE
AVAILABLE

Features

- Level F cut resistance
- Seamless 13 gauge liner
- Maximum cut resistance according to EN388:2016
- Excellent durability and grip in wet and dry conditions
- Breathable seamless liner
- Designed to be worn in a tough work environment
- OEKO-TEX® STANDARD 100 approved
- ANSI cut level A8
- CE certified
- Retail tag which aids presentation for retail sales
- UKCA marked

A667 - Claymore Cut F13 Nitrile Glove
Commodity Code: 6116102091

Test House

SATRA Technology Europe Ltd (Notified Body No.: NB: 2777)
Bracetown Business Park
D15 YN2P, Ireland
Cert No: 2777/19511-01/E00-00

SATRA Technology Centre Ltd (Notified Body No.: AB: 0321)
SATRA Technology Park
NN16 8SD, United Kingdom
Cert No: AB0321/19602-01/E00-00

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	GTIN/DUN14
------	--------	-----	-----	-----	------------	------------------------	-------	------------