

A751 - Apache Cold Store Glove

Collection: Thermal Protection Gloves

Range: Hand Protection

Materials: Cow Grain Leather, Elastic, Nylon, Polyester, PVC

Inner Pack: 12

Outer Carton: 72

Product information

Specially designed for use in cold environments whether this is an indoor cold store or harsh outdoor winter conditions. Breathable waterproof membrane keeps the hands dry and reduces the risk of dangerous moisture build up. Elasticated knitted cuff ensures a comfortable and secure fit. Enhanced grip pads on the glove palm allows for secure grip in all conditions.

Thermal Protection Gloves

When cold thermal hazards are present, the hands' motor skills can be greatly reduced, this leads to increased risk of accidents and injury. Specially designed thermal protective gloves are available to combat these dangers in hazardous environments.

Hand Protection

A wide and increasing range of hand protection products is available. In order to help cater to every need. Only the best materials and manufacturing methods are used in the production of Portwest's extensive range of Hand Protection products....

Standards

EN ISO 21420: 2020 Dexterity 4
EN 388: 2016 + A1: 2018 (3544X)
EN 511: 2006 (33X)



Features

- Specially designed for use in cold conditions
- Inner soft Insulatex lining offering warmth and comfort
- Waterproof keeping the wearer dry and protected from the elements
- Knitted cuff for comfort and warmth
- Textured pattern for enhanced grip
- Leather palm greatly improves durability
- Retail tag which aids presentation for retail sales
- CE certified

A751 - Apache Cold Store Glove
Commodity Code: 6116930000

Test House

SATRA Technology Europe Ltd (Notified Body No.: NB: 2777)
Bracetown Business Park
D15 YN2P, Ireland
Cert No: 2777/13935-01/E00-00

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	GTIN/DUN14
A751BKRL	Black	60.0	45.0	60.0	0.2230	0.1620	5036108322008	25036108810776
A751BKRXL	Black	60.0	45.0	60.0	0.2440	0.1620	5036108322015	25036108810783
A751BKRXXL	Black	60.0	45.0	60.0	0.2420	0.1620	5036108322022	25036108810790