

A780 - Arc Grip Glove

Collection: Arc Flash Gloves

Range: Hand Protection

Materials: Aramid, Glass Fibre, Neoprene, Modacrylic

Dipping:

Inner Pack: 12

Outer Carton: 144

Product information

Created with flame resistant properties, the Arc Grip Glove provides a high level of protection against Arc Flash burns and cuts. The 13-gauge cut level D knitted liner is manufactured with a unique flame-resistant aramid yarn which provides increased dexterity and hand movement. The flame-resistant neoprene coated palm allows for excellent grip. Arc Flash level 2 (ATPV 9.5cal/cm²).

Hand Protection

A wide and increasing range of hand protection products is available. In order to help cater to every need. Only the best materials and manufacturing methods are used in the production of Portwest's extensive range of Hand Protection products....

Standards

EN ISO 21420: 2020 Dexterity 5

EN 388: 2016 + A1: 2018 (4X42D)

EN 407: 2020 (41XXXX)

ASTM F2675-13 Class 2

ANSI/ISEA 105: 2016 CUT Level (A5)

ANSI/ISEA 105: 2016 ABRASION Level (6)



Features

- Superb Arc-Flash Protection: Arc Rating (ATPV) = 9.5 cal/cm²
- ARC Grip glove provides a high level of protection against ARC flash burns and cuts
- Level D cut resistance
- 13 gauge liner for a perfect fit
- Flame-resistant neoprene coated palm allows for excellent grip
- FR aramid thread for extra durability and protection
- CE certified
- Retail tag which aids presentation for retail sales
- ANSI cut level A4
- UKCA marked

A780 - Arc Grip Glove

Commodity Code: 6116102091

Test House

SATRA Technology Europe Ltd (Notified Body No.: NB: 2777)

Bracetown Business Park

D15 YN2P, Ireland

Cert No: 2777/20070-02/E00-00

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	GTIN/DUN14
A780E8RM	Green/Black	45.0	37.0	27.0	0.1160	0.0450	5036108293926	25036108783667
A780E8RL	Green/Black	45.0	37.0	27.0	0.2000	0.0450	5036108293919	25036108783650
A780E8RXL	Green/Black	45.0	37.0	27.0	0.1440	0.0450	5036108293933	25036108783674
A780E8RXXL	Green/Black	45.0	37.0	27.0	0.1520	0.0450	5036108293940	25036108783681