

## AP52 - Dexti Cut Ultra Glove

**Collection:** Cut Resistant

**Range:** Hand Protection

**Materials:** HPPE, Glass Fibre, Nylon, Elastic, Elastane

**Dipping:**

**Inner Pack:** 12

**Outer Carton:** 360

### Product information

This seamless constructed cut C glove is engineered using HPPE yarn with a sandy palm nitrile coating. This glove also features a reinforced thumb crotch for added durability in that high-wear area.

### Hand Protection

A wide and increasing range of hand protection products is available. In order to help cater to every need. Only the best materials and manufacturing methods are used in the production of Portwests' extensive range of Hand Protection products....

### Standards

EN ISO 21420: 2020 Dexterity 5

EN 388: 2016 + A1: 2018 (4X42C)

ANSI/ISEA 105: 2016 CUT Level (A3)

ANSI/ISEA 105: 2016 ABRASION Level (4)



### Features

- Level C cut resistance
- 13 gauge liner for a perfect fit
- Sandy finish for exceptional grip in water, grease or oil
- Reinforced thumb crotch for extra protection and durability
- OEKO-TEX® STANDARD 100 approved
- Retail tag which aids presentation for retail sales
- Low linting construction for minimal contamination
- ANSI cut level A3
- CE certified
- UKCA marked

## AP52 - Dexti Cut Ultra Glove Commodity Code: 6116108091

### Test House

SATRA Technology Europe Ltd (Notified Body No.: NB: 2777)  
Bracetown Business Park  
D15 YN2P, Ireland  
Cert No: 2777/19808-01/E00-00

SATRA Technology Europe Ltd (Notified Body No.: NB: 2777)  
Bracetown Business Park  
D15 YN2P, Ireland  
Cert No: AB0321/20063-01/E00-00

### Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m <sup>3</sup> )	EAN13	GTIN/DUN14
AP52B8RS	Blue/Black	56.0	30.0	40.0	0.0650	0.0672	5036108278107	25036108768206
AP52B8RM	Blue/Black	56.0	30.0	40.0	0.0560	0.0672	5036108278091	25036108768190
AP52B8RL	Blue/Black	56.0	30.0	40.0	0.0680	0.0672	5036108278084	25036108768183
AP52B8RXL	Blue/Black	56.0	30.0	40.0	0.0680	0.0672	5036108278114	25036108768213
AP52B8RXXL	Blue/Black	56.0	30.0	40.0	0.0740	0.0672	5036108278121	25036108768220