

B1704E - Roma S1PS ESD LG SC FO SR

Collection: Run@Work

Upper: TECHNICAL FABRIC

Insole: Wire Lace System

Lining: Hi-tech 3D fabric

Midsole: TPU

Toecap: SlimCap

Sole: AirTech Anti-Fatigue + Tpu-Skin

Outer Carton: 10

Run@Work

Run@Work by Base Protection: A sporty and technologically advanced collection of work shoes designed for comfort and safety. Drawing inspiration from racing, its gritty style and vibrant colours ensure enhanced support and natural movement for workers.

Base

Comfort is what has inspired Base Protection since its first day of activity. The company produces safety footwear, combining technology and functional requirements, to respond to professional and more demanding clients.

Standards

EN ISO 20345:2022 S1PS (ESD LG SC FO SR)



Features

- 200 joules resistant toe-cap
- Anti-static footwear
- Shock absorption in the heel region
- Puncture Resistant 3mm
- Protective scuff cap
- Ladder grips
- Suitable for use in ESD environments
- Metal free
- Vegan-friendly safety footwear
- Women's Width 10.5
- Men's Width 12

B1704E - Roma S1PS ESD LG SC FO SR
Commodity Code: 6404199000

Test House

Cert No: N° F-113-07658-24

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	GTIN/DUN14
B1704EGKR35		68.0	41.0	38.0	0.9990	0.1059	8050503220568	
B1704EGKR36		68.0	41.0	38.0	0.9990	0.1059	8050503220575	
B1704EGKR37		68.0	41.0	38.0	0.9990	0.1059	8050503220582	
B1704EGKR38		68.0	41.0	38.0	0.9990	0.1059	8050503220599	
B1704EGKR39		68.0	41.0	38.0	1.1910	0.1059	8050503220605	
B1704EGKR40		68.0	41.0	38.0	0.9990	0.1059	8050503220612	
B1704EGKR41		68.0	41.0	38.0	1.2810	0.1059	8050503220629	
B1704EGKR42		68.0	41.0	38.0	1.2910	0.1059	8050503220636	
B1704EGKR43		68.0	41.0	38.0	1.3430	0.1059	8050503220643	
B1704EGKR44		68.0	41.0	38.0	1.3870	0.1059	8050503220650	
B1704EGKR45		68.0	41.0	38.0	0.9990	0.1059	8050503220667	
B1704EGKR46		68.0	41.0	38.0	0.9990	0.1059	8050503220674	
B1704EGKR47		68.0	41.0	38.0	0.9990	0.1059	8050503220681	
B1704EGKR48		68.0	41.0	38.0	0.9990	0.1059	8050503220698	