

## **B1704E - Roma S1PS ESD LG SC FO SR**

**Collection:** Run@Work

**Upper:** TECHNICAL FABRIC

**Insole:** Wire Lace System

**Lining:** Hi-tech 3D fabric

**Midsole:** TPU

**Toecap:** SlimCap

**Sole:** AirTech Anti-Fatigue + Tpu-Skin

**Outer Carton:** 10

### **Run@Work**

Run@Work by Base Protection: A sporty and technologically advanced collection of work shoes designed for comfort and safety. Drawing inspiration from racing, its gritty style and vibrant colours ensure enhanced support and natural movement for workers.

### **Base**

Comfort is what has inspired Base Protection since its first day of activity. The company produces safety footwear, combining technology and functional requirements, to respond to professional and more demanding clients.

### **Standards**

EN ISO 20345:2022 S1PS (ESD LG SC FO SR)



### **Features**

- 200 joules resistant toe-cap
- Anti-static footwear
- Shock absorption in the heel region
- Puncture Resistant 3mm
- Protective scuff cap
- Ladder grips
- Suitable for use in ESD environments
- Metal free
- Vegan-friendly safety footwear
- Women's Width 10.5
- Men's Width 12

**B1704E - Roma S1PS ESD LG SC FO SR**  
**Commodity Code: 6404199000**

**Test House**

Cert No: N° F-113-07658-24

**Carton Dimensions/Weight**

| Item        | Colour | Len  | Wid  | Hgt  | Weight(Kg) | Cubic(m <sup>3</sup> ) | EAN13         | GTIN/DUN14 |
|-------------|--------|------|------|------|------------|------------------------|---------------|------------|
| B1704EGKR35 |        | 68.0 | 41.0 | 38.0 | 0.9990     | 0.1059                 | 8050503220568 |            |
| B1704EGKR36 |        | 68.0 | 41.0 | 38.0 | 0.9990     | 0.1059                 | 8050503220575 |            |
| B1704EGKR37 |        | 68.0 | 41.0 | 38.0 | 0.9990     | 0.1059                 | 8050503220582 |            |
| B1704EGKR38 |        | 68.0 | 41.0 | 38.0 | 0.9990     | 0.1059                 | 8050503220599 |            |
| B1704EGKR39 |        | 68.0 | 41.0 | 38.0 | 1.1910     | 0.1059                 | 8050503220605 |            |
| B1704EGKR40 |        | 68.0 | 41.0 | 38.0 | 0.9990     | 0.1059                 | 8050503220612 |            |
| B1704EGKR41 |        | 68.0 | 41.0 | 38.0 | 1.2810     | 0.1059                 | 8050503220629 |            |
| B1704EGKR42 |        | 68.0 | 41.0 | 38.0 | 1.2910     | 0.1059                 | 8050503220636 |            |
| B1704EGKR43 |        | 68.0 | 41.0 | 38.0 | 1.3430     | 0.1059                 | 8050503220643 |            |
| B1704EGKR44 |        | 68.0 | 41.0 | 38.0 | 1.3870     | 0.1059                 | 8050503220650 |            |
| B1704EGKR45 |        | 68.0 | 41.0 | 38.0 | 0.9990     | 0.1059                 | 8050503220667 |            |
| B1704EGKR46 |        | 68.0 | 41.0 | 38.0 | 0.9990     | 0.1059                 | 8050503220674 |            |
| B1704EGKR47 |        | 68.0 | 41.0 | 38.0 | 0.9990     | 0.1059                 | 8050503220681 |            |
| B1704EGKR48 |        | 68.0 | 41.0 | 38.0 | 0.9990     | 0.1059                 | 8050503220698 |            |