

B1712A - Boston S3S SC LG FO SR

Collection: Run@Work

Upper: Microfibre

Insole: Wire Lace System

Lining: Wire Lace System

Midsole: TPU

Toecap: SlimCap

Sole: AirTech Anti-Fatigue + Tpu-Skin

Outer Carton: 10

Run@Work

Run@Work by Base Protection: A sporty and technologically advanced collection of work shoes designed for comfort and safety. Drawing inspiration from racing, its gritty style and vibrant colours ensure enhanced support and natural movement for workers.

Base

Comfort is what has inspired Base Protection since its first day of activity. The company produces safety footwear, combining technology and functional requirements, to respond to professional and more demanding clients.

Standards

EN ISO 20345:2022 S3S (SC LG FO SR)



Features

- 200 joules resistant toe-cap
- Anti-static footwear
- Shock absorption in the heel region
- Water resistant
- Puncture Resistant 3mm
- Protective scuff cap
- Ladder grips
- Slip, fuel and oil resistant rubber outsole
- SR
- Metal free
- Vegan-friendly safety footwear

B1712A - Boston S3S SC LG FO SR
Commodity Code: 6404199000

Test House

CIMAC (Notified Body No.: 0465)

Via Aguzzafame 60/b

27029, ITALIE

Cert No: F-113-07709-24

Carton Dimensions/Weight

| Item | Colour | Len | Wid | Hgt | Weight(Kg) | Cubic(m ³) | EAN13 | GTIN/DUN14 |
|-------------|--------|------|------|------|------------|------------------------|---------------|------------|
| B1712ABGN35 | | 68.0 | 41.0 | 38.0 | 0.9990 | 0.1059 | 8050503221268 | |
| B1712ABGN36 | | 68.0 | 41.0 | 38.0 | 0.9990 | 0.1059 | 8050503221275 | |
| B1712ABGN37 | | 68.0 | 41.0 | 38.0 | 0.9990 | 0.1059 | 8050503221282 | |
| B1712ABGN38 | | 68.0 | 41.0 | 38.0 | 0.9990 | 0.1059 | 8050503221299 | |
| B1712ABGN39 | | 68.0 | 41.0 | 38.0 | 0.9990 | 0.1059 | 8050503221305 | |
| B1712ABGN40 | | 68.0 | 55.0 | 38.0 | 0.9990 | 0.1421 | 8050503221312 | |
| B1712ABGN41 | | 68.0 | 55.0 | 38.0 | 0.9990 | 0.1421 | 8050503221329 | |
| B1712ABGN42 | | 68.0 | 55.0 | 38.0 | 0.9990 | 0.1421 | 8050503221336 | |
| B1712ABGN43 | | 68.0 | 55.0 | 38.0 | 0.9990 | 0.1421 | 8050503221343 | |
| B1712ABGN44 | | 68.0 | 55.0 | 38.0 | 0.9990 | 0.1421 | 8050503221350 | |
| B1712ABGN45 | | 68.0 | 55.0 | 38.0 | 0.9990 | 0.1421 | 8050503221367 | |
| B1712ABGN46 | | 68.0 | 55.0 | 38.0 | 0.9990 | 0.1421 | 8050503221374 | |
| B1712ABGN47 | | 68.0 | 55.0 | 38.0 | 0.9990 | 0.1421 | 8050503221381 | |
| B1712ABGN48 | | 68.0 | 55.0 | 38.0 | 0.9990 | 0.1421 | 8050503221398 | |