

FR52 - Padded Anti-Static Coverall

Collection: Bizflame™ Work

Range: Flame Resistant Multi-Norm

Shell Fabric: Bizflame Work: 99% Cotton, 1% Carbon Fibre, 350g

Outer Carton: 8

Product information

This coverall is perfect for the cold weather demands of the offshore industry. Constructed with the highly innovative flame-resistant fabric and styling of the FR50 this coverall also has a full quilt lining for added warmth.

Bizflame™ Work

BizFlame™ Work has been developed and designed using the highly innovative Bizflame™ Work flame resistant fabric with added anti-static properties. Certified to a range of international standards.

Flame Resistant Multi-Norm

This industry leading flame resistant range provides multi-standard protection for hazardous environments. These state of the art products are the result of years of experience combined with advanced technology and market research. Commitment to the health, safety and comfort of the wearer can be seen in the wide range of products suitable for all climates and end uses.

Standards

EN ISO 11612 (A1+A2, B1, C1, E2, F1)
EN ISO 11611 Class 2 (A1+A2)
EN 1149 -5

NO
IMAGE
AVAILABLE

Features

- CE-CAT III
- Guaranteed flame resistance for life of garment
- Protection against radiant, convective and contact heat
- Class 2 welding protection
- Anti-static
- Sew on flame resistant industrial wash tape
- Knee pad pockets to facilitate knee pads
- Radio loops for easy clipping of a radio
- Hook and loop cuffs for a secure fit
- Two-way zip for quick and easy access
- 10 pockets for ample storage

FR52 - Padded Anti-Static Coverall

Commodity Code: 6211321000

Test House

SATRA Technology Europe Ltd (Notified Body No.: NB: 2777)

Bracetown Business Park

D15 YN2P, Ireland

Cert No: 2777_12967_02_E00_00

SGS FIMKO Ltd (Notified Body No.: NB: 0598)

Takomotie 8

, Finland

Contact: sgs.fimko@sgs.com

Cert No: 0598

Wash Care



Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	GTIN/DUN14
------	--------	-----	-----	-----	------------	------------------------	-------	------------