

### FR64 - FR Molten Metal Trousers

**Collection:** Aluflame™

**Range:** Flame Resistant Multi-Norm

**Shell Fabric:** Aluflame Work: 43% Cotton, 30% Viscose, 20% Acrylic, 6% Para Aramid, 1% Carbon Fibre

**Outer Carton:** 18



#### Product information

Developed for the demanding environment of aluminium, iron and steel works, this inherent fabric offers maximum protection.

**Aluflame™**

Aluflame

#### Flame Resistant Multi-Norm

This industry leading flame resistant range provides multi-standard protection for hazardous environments. These state of the art products are the result of years of experience combined with advanced technology and market research. Commitment to the health, safety and comfort of the wearer can be seen in the wide range of products suitable for all climates and end uses.

#### Standards

EN ISO 11612 (A1+A2, B1, C1, D3, E3, F1)

EN ISO 11611 Class 2 (A1+A2)

EN 1149 -5

IEC 61482-2 IEC 61482-1-1 (ELIM 8.1 CAL/CM<sup>2</sup>, ATPV 9.5 CAL/CM<sup>2</sup>)

IEC 61482-2 IEC 61482-1-2 APC 1

ASTM F1959/F1959M-14e1 (ATPV=13 Cal/CM<sup>2</sup> (HAF=84.9%))

#### Features

- Highest protection against molten aluminium
- Class 2 welding protection
- Certified protection against molten metal splash
- Rule pocket
- Jetted back pocket
- Half elasticated waist for a secure and comfortable fit
- 4 pockets for ample storage
- CE certified
- New style
- 40+ UPF rated fabric to block 98% of UV rays
- CE-CAT III

### FR64 - FR Molten Metal Trousers

Commodity Code: 6203491100

#### Test House

SATRA Technology Centre Ltd (Notified Body No.: AB: 0321)

SATRA Technology Park

NN16 8SD, United Kingdom

Cert No: 2777/25491-01/E00-00

#### Wash Care



#### Carton Dimensions/Weight

| Item        | Colour | Len  | Wid  | Hgt  | Weight(Kg) | Cubic(m <sup>3</sup> ) | EAN13         | GTIN/DUN14     |
|-------------|--------|------|------|------|------------|------------------------|---------------|----------------|
| FR64NARS    | Navy   | 59.0 | 39.0 | 23.0 | 0.7650     | 0.0529                 | 5036108351992 | 15036108840615 |
| FR64NARM    | Navy   | 59.0 | 39.0 | 23.0 | 0.8050     | 0.0529                 | 5036108351985 | 15036108840608 |
| FR64NARL    | Navy   | 59.0 | 39.0 | 23.0 | 0.8390     | 0.0529                 | 5036108351978 | 15036108840592 |
| FR64NARXL   | Navy   | 59.0 | 39.0 | 26.0 | 0.8780     | 0.0598                 | 5036108352005 | 15036108840622 |
| FR64NARXXL  | Navy   | 59.0 | 39.0 | 26.0 | 0.9210     | 0.0598                 | 5036108352012 | 15036108840639 |
| FR64NARXXXL | Navy   | 59.0 | 39.0 | 26.0 | 0.9570     | 0.0598                 | 5036108352029 | 15036108840646 |