

PRODUCT SPECIFICATION & TECHNICAL DATASHEET

FR713 - Portflame FR Class D/N Two-Tone Vented Shirt

Collection: Portflame Range: Flame Resistant Shell Fabric: Portflame+ Work: 65% Viscose, 33% Aramid, 2% Carbon Fibre, 185g Outer Carton: 15

Product information

Portflame

This inherently flame resistant fabric offers luxurious comfort and is ideal for hot climates. The special viscose blend provides outstanding ARC2 protection rarely achieved on lightweight fabrics. Constructed using 65% viscose, 33% aramid, 2% anti-static, PortflameTM is available in two weights 215g and 185g.

Flame Resistant

This industry leading flame resistant range provides multi-standard protection for hazardous environments. These state of the art products are the result of years of experience combined with advanced technology and market research. Commitment to the health, safety and comfort of the wearer can be seen in the wide range of products suitable for all climates and end uses.



Features



PRODUCT SPECIFICATION & TECHNICAL DATASHEET

FR713 - Portflame FR Class D/N Two-Tone Vented Shirt

Test House



Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	GTIN/DUN14
FR713ONRS	Orange/Navy	60.0	40.0	20.0	0.9990	0.0480	5036108393855	25036108878639
FR713ONRM	Orange/Navy	60.0	40.0	20.0	0.9990	0.0480	5036108393848	25036108878622
FR713ONRL	Orange/Navy	60.0	40.0	20.0	0.9990	0.0480	5036108393831	25036108878615
FR713ONRXL	Orange/Navy	60.0	40.0	20.0	0.9990	0.0480	5036108393862	25036108878646
FR713ONRXXL	Orange/Navy	60.0	40.0	20.0	0.9990	0.0480	5036108393879	25036108878653
FR713ONRXXXL	Orange/Navy	60.0	40.0	20.0	0.9990	0.0480	5036108393886	25036108878660