

IUS109 - Ultrasoft 9oz CSA Deluxe

Coverall

Collection: IFR

Shell Fabric: Westex®: 88% FR Cotton, 12% Nylon

Product information

FEATURES • Engineered for flame resistance and guaranteed for the life of the garment • 50% extended garment wear life over 100% cotton • Soft feel of cotton comfort • Multi-purpose protection from electric arc, flash fire, molten ferrous metal and welding exposure • Two-way breakaway brass zipper • No melt, no drip velcro • Lowered X striping on back to allow more room for company logo or hooded undergarment **STANDARDS** • Westex UltraSoft® fabric meets the requirements of: NFPA 2112, CGSB 155.20, NFPA 70E, CSA Z462, ASTM F1506

IFR

IFR



Standards

NFPA® 2112
NFPA® 70E
ASTM F1506
CGSB 155.20
CSA Z462

Features

- Engineered for flame resistance and guaranteed for the life of the garment
- Soft feel of Cotton comfort
- Multi-purpose protection from electric arc, flash fire, molten ferrous metal and welding exposure
- Breakaway zipper
- No melt, no drip Velcro
- Lowered X striping on back to allow room for company logo or hooded undergarment

IUS109 - Ultrasoft 9oz CSA Deluxe Coverall

Commodity Code:

Test House

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	GTIN/DUN14
IUS109RBR34		39.0	29.0	39.0	1.2700	0.0441		
IUS109RBR36		39.0	29.0	39.0	1.3150	0.0441		
IUS109RBR38		39.0	29.0	39.0	1.3610	0.0441		
IUS109RBR40		39.0	29.0	39.0	1.3830	0.0441		
IUS109RBR42		39.0	29.0	39.0	1.4060	0.0441		
IUS109RBR44		39.0	29.0	39.0	1.4510	0.0441		
IUS109RBR46		39.0	29.0	39.0	1.4970	0.0441		
IUS109RBR48		39.0	29.0	39.0	1.5200	0.0441		
IUS109RBR50		39.0	29.0	39.0	1.5420	0.0441		
IUS109RBR52		39.0	29.0	39.0	1.6330	0.0441		
IUS109RBR54		39.0	29.0	39.0	1.7240	0.0441		
IUS109RBR56		39.0	29.0	39.0	1.8140	0.0441		
IUS109RBR58		39.0	29.0	39.0	1.9050	0.0441		
IUS109RBR62		39.0	29.0	39.0	1.9960	0.0441		