

### IUS409 - Ultrasoft 9oz Deluxe Coverall

**Collection:** IFR

**Shell Fabric:** Westex®: 88% FR Cotton, 12% Nylon

#### Product information

**FEATURES** • Engineered for flame resistance and guaranteed for the life of the garment • 50% extended garment wear life over 100% cotton • Soft feel of cotton comfort • Centre front two-way breakaway brass zip • No melt, no drip velcro • Multi-purpose protection from electric arc, flash fire and molten ferrous metal and welding exposure **STANDARDS** • Westex UltraSoft® fabric meets the requirements of: NFPA 2112, CGSB 155.20, NFPA 70E, CSA Z462, ASTM F1506

#### IFR

IFR



#### Standards

NFPA® 2112  
NFPA® 70E  
ASTM F1506  
CGSB 155.20

#### Features

- Engineered for flame resistance and guaranteed for the life of the garment
- Soft feel of Cotton comfort
- Breakaway zipper
- No melt, no drip Velcro
- Multi-purpose protection from electric arc, flash fire, molten ferrous metal and welding exposure

**IUS409 - Ultrasoft 9oz Deluxe Coverall**

**Commodity Code:**

**Test House**

**Carton Dimensions/Weight**

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m <sup>3</sup> )	EAN13	GTIN/DUN14
IUS409ORR34		39.0	29.0	39.0	1.3610	0.0441		
IUS409ORR36		39.0	29.0	39.0	1.3610	0.0441		
IUS409ORR38		39.0	29.0	39.0	1.4060	0.0441		
IUS409ORR40		39.0	29.0	39.0	1.4290	0.0441		
IUS409ORR42		39.0	29.0	39.0	1.4510	0.0441		
IUS409ORR44		39.0	29.0	39.0	1.4970	0.0441		
IUS409ORR46		39.0	29.0	39.0	1.5420	0.0441		
IUS409ORR48		39.0	29.0	39.0	1.5880	0.0441		
IUS409ORR50		39.0	29.0	39.0	1.5880	0.0441		
IUS409ORR52		39.0	29.0	39.0	1.7460	0.0441		
IUS409ORR54		39.0	29.0	39.0	1.7010	0.0441		
IUS409ORR56		39.0	29.0	39.0	1.8140	0.0441		
IUS409ORR58		39.0	29.0	39.0	1.7690	0.0441		
IUS409ORR62		39.0	29.0	39.0	1.8370	0.0441		
IUS409ORR66		39.0	29.0	39.0	1.9050	0.0441		
IUS409ORR70		39.0	29.0	39.0	1.9050	0.0441		