

PS21 - Portwest Chemical Goggle

Collection: Eye Protection

Range: Eye Protection

Materials: Cellulose Acetate, PVC, PP

Inner Pack: 20

Outer Carton: 200

Product information

PS21 is an indirect ventilation goggle with acetate lens material, suitable for chemical use. Superior anti-fog treatment (marked N on the lens) and ultra soft frame ensure a comfortable wear for long working days.

Eye Protection

PORTWEST® eye protection range includes spectacles, safety goggles and visors, designed to protect the eyes and face of workers from injuries which may occur during working activities. TECHNICAL SPECTACLES: High performance and cutting edge styles. SPORT SPECTACLES: Light weight and modern design. CLASSIC SPECTACLES: Essential PPE safety eyewear styles.

Eye Protection

PORTWEST® eye protection range includes spectacles, safety goggles and visors, designed to protect the eyes and face of the workers from injuries which may occur during working activities. TECHNICAL SPECTACLES: high performance and cutting edge styles. SPORT SPECTACLES: light weight and modern design. CLASSIC SPECTACLES: essential PPE safety eyewear styles.

Standards

EN 166 (1 F N 3)



Features

- Certified
- Anti-scratch coating for added durability
- Anti-fog high level treatment coating, certified and marked with N on the lens
- Retail bag which aids presentation for retail sales
- Chemical resistant
- Individually packed for vending machines
- Indirect ventilation
- Ultra lightweight for long uses
- Non-magnetic - nickel and ferrous free
- Flexible PVC frame for ultra comfort
- UKCA marked

PS21 - Portwest Chemical Goggle
Commodity Code: 9004901000

Test House

SGS FIMKO Ltd (Notified Body No.: NB: 0598)

Takomotie 8

, Finland

Ethical & Sustainable Commitment: sgs.fimko@sgs.com

Cert No: 0598/PPE/21/2942

SGS United Kingdom Limited (Notified Body No.: AB: 0120)

Rossmore Business Park

CH65 3EN, UK

Cert No: 0120/PPE/210428

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	GTIN/DUN14
PS21CLR	Clear	58.0	43.0	60.0	0.0800	0.1496	5036108279371	25036108769487