## **PORTWEST**®



## PW21 - Indirect Vent Goggles

**Collection:** Eye Protection **Range:** Eye Protection

Materials: Polycarbonate, PVC

Outer Carton: 200

#### **Product information**

Designed to be worn in a tough work environment, the goggles are fitted with a flexible PVC frame for ultra light and comfortable wear. Indirect Ventilation.

#### **Eye Protection**

PORTWEST® eye protection range includes spectacles, safety goggles and visors, designed to protect the eyes and face of workers from injuries which may occur during working activities. TECHNICAL SPECTACLES: High performance and cutting edge styles. SPORT SPECTACLES: Light weight and modern design. CLASSIC SPECTACLES: Essential PPE safety eyewear styles.

#### **Eve Protection**

PORTWEST eye protection range includes spectacles, safety goggles and visors, designed to protect the eyes and face of the workers from injuries which may occur during working activities. TECHNICAL SPECTACLES: High performance and cutting edge styles. SPORT SPECTACLES: Light weight and modern design. CLASSIC SPECTACLES: Essential PPE safety eyewear styles.

#### **Standards**

EN ISO 16321:2022 (1 D 3 1-M) ANSI/ISEA Z87 .1 (+)



#### **Features**

- · Indirect ventilation
- Flexible PVC frame for ultra comfort
- · Adjustable elastic headband for a perfect fit
- Ultra lightweight for long uses
- Protects from fluid and splashes
- Suitable for wearing over most prescription glasses
- CE certified
- $\bullet$  Retail bag which aids presentation for retail sales
- · Individually packed for vending machines
- 100% Metal Free

# **PORTWEST**®



PW21 - Indirect Vent Goggles Commodity Code: 9004901000

**Test House** 

BSI Group The Netherlands B.V. (Notified Body No.: NB: 2797)

John M. Keynesplein 9 , The Netherlands Cert No: CE 808507

BSI Assurance UK Ltd (Notified Body No.: AB: 0086)

The British Standards Institution MK5 8PP, United Kingdom Cert No: UKCA 764127

### Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m³)	EAN13	GTIN/DUN14
PW21CLR	Clear	58.0	43.0	60.0	0.0860	0.1496	5036108134625	15036108635969