

A700 - Mechanic 80 Glove

Collection: Mechanic Gloves

Range: Hand Protection

Materials: Synthetic Leather, Elastic, Rubber, Polyester

Inner Pack: 12

Outer Carton: 144

Product information

This high-performing, hand-hugging glove is multi-purpose and suitable for any job. Lightweight for the wearer, this glove has durability built in and features reinforced stitching on the thumb for extra strength with wrist support and protection.

Mechanic Gloves

Designed to enhance grip for precision work, this collection protects from a broad range of hazards. The gloves are constructed from highly engineered textiles and offer an extensive selection of colours, lining, and size options. This collection is suitable for mechanic applications, general construction, material handling, carpentry and utility work.

Hand Protection

A wide and increasing range of hand protection products is available. In order to help cater to every need. Only the best materials and manufacturing methods are used in the production of Portwests' extensive range of Hand Protection products....

Standards

EN ISO 21420: 2020 Dexterity 5

EN 388: 2016 + A1: 2018 (1111X)



Features

- High performance multi-purpose glove
- Reinforced stitching on the thumb for extra strength
- Wrist support and protection
- Lightweight and comfortable
- Wrist strap for secure fitting
- Retail tag which aids presentation for retail sales
- Low linting construction for minimal contamination
- CE certified



PRODUCT SPECIFICATION & TECHNICAL DATASHEET

A700 - Mechanic 80 Glove Commodity Code: 6216000000

Test House

SATRA Technology Europe Ltd (Notified Body No.: NB: 2777)
Bracetown Business Park
D15 YN2P, Ireland
Cert No: 2777/23775-01/E00-00

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	GTIN/DUN14
A700BKRM	Black	59.0	41.0	40.0	0.0740	0.0968	5036108162611	15036108705440
A700BKRL	Black	59.0	41.0	40.0	0.0880	0.0968	5036108162628	15036108603968
A700BKRXL	Black	59.0	41.0	40.0	0.0820	0.0968	5036108162635	15036108603975
A700BKRXXL	Black	59.0	41.0	40.0	0.0880	0.0968	5036108261260	15036108750495