

### PRODUCT SPECIFICATION & TECHNICAL DATASHEET

## AS24 - Anti-Static ESD Sweatshirt

Collection: ESD Workwear

**Shell Fabric:** 96% Cotton, 4% Carbon Fibre, 300g

**Outer Carton: 24** 

### **Product information**

This Anti-Static ESD sweatshirt is breathable, warm and comfortable. It is ideal for EPA areas and environments where electrostatic resistance is required. The raglan sleeve allows greater freedom of movement, whilst carbon fibre woven throughout the fabric and rib provides fantastic antistatic protection. Available in a large variety of sizes and colours.

### **ESD Workwear**

Fabrics used in the ESD range are strong and durable. Carbon fibre woven through the fabric provides superb anti-static protection.

#### **Standards**

EN 1149 -5 EN 61340-5-1

# NO IMAGE AVAILABLE

### **Features**

- Suitable for use in ESD environments
- Tested to EN 61340-5-1
- High cotton content for superior comfort
- Designed with a comfort fit
- Raglan sleeves for a comfort fit
- · Ribbed cuffs for added comfort
- Twin-stitched seams for extra durability
- · Crew neck
- CE certified
- An improvement has been made to the current fit of the product
- Carbon fibre knitted throughout the fabric provides inherent ESD and Anti-Static properties



### PRODUCT SPECIFICATION & TECHNICAL DATASHEET

**AS24 - Anti-Static ESD Sweatshirt Commodity Code: 6110209100** 

### **Test House**


SATRA Technology Europe Ltd (Notified Body No.: NB: 2777)

Bracetown Business Park

D15 YN2P, Ireland

Cert No: 2777/25332-01/E00-00

**Wash Care** 



# **Carton Dimensions/Weight**

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m³)	EAN13	GTIN/DUN14
AS24NARS	Navy	55.0	36.0	34.0	0.4040	0.0673	5036108347278	15036108835833
AS24NARM	Navy	55.0	36.0	34.0	0.4220	0.0673	5036108347261	15036108835826
AS24NARL	Navy	55.0	36.0	34.0	0.4540	0.0673	5036108347254	15036108835819
AS24NARXL	Navy	55.0	36.0	34.0	0.4880	0.0673	5036108347285	15036108835840
AS24NARXXL	Navy	55.0	36.0	40.0	0.5020	0.0792	5036108347292	15036108835857
AS24NARXXXL	Navy	55.0	36.0	40.0	0.5500	0.0792	5036108347308	15036108835864