

PRODUCT SPECIFICATION & TECHNICAL DATASHEET

C474 - Hi-Vis Two Band Vest

Collection: Vest-Port **Range:** High Visibility

Shell Fabric: 100% Polyester, Warp

Knit 124g

Product information

Offers all the characteristics of the C470 with one Hi-Vis stripe on the chest and one stripe on the waist.

Standards

EN ISO 20471 Class 2 RIS 3279 TOM Issue 2 (Orange Only)

Vest-Port

The Vest-Port $^{\text{TM}}$ extensive range of vests covers the varied demands of the work environment from core styles to the revolutionary "Executive" design, which is now available in both summer and winter weights.

High Visibility

Our extensive range of High-Visibility clothing meets stringent requirements in both design and construction, to ensure compliance with the latest EN ISO 20471 & ANSI standards. Innovative and technical, our High Visibility range is ideal for those who will not compromise on style, comfort, protection and performance.

Features

- · Lightweight and comfortable
- · Hook and loop closure for easy access
- Generous fit for wearer comfort
- Reflective tape for increased visibility
- Certified to EN ISO 20471 after 50x washes
- Complies with RIS 3279-TOM for rail industry (orange only)



Orange S/M-4XL/5XL, Yellow S/M-4XL/5XL, Red S/M-2XL/3XL



PRODUCT SPECIFICATION & TECHNICAL DATASHEET

C474 - Hi-Vis Two Band Vest Commodity Code: 6110309100

Test House

SATRA Technology Europe Ltd (Notified Body No.: NB: 2777)

Bracetown Business Park

D15 YN2P, Ireland

Cert No: 2777/13422-02/E00-00

SATRA Technology Centre Ltd (Notified Body No.: AB: 0321)

SATRA Technology Park NN16 8SD, United Kingdom

Cert No: AB0321/16796-01/E00-00

Wash Care

A A II A A A Sox ₩

Carton Dimensions/Weight

Item		Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m³)	EAN13	GTIN/DUN14
C474	ORRS/M	Orange	43.0	28.0	52.0	0.1420	0.0626	5036108160969	15036108613516
C474	ORRL/XL	Orange	43.0	28.0	52.0	0.1520	0.0626	5036108144686	15036108613509
C474	ORRXX/3X	Orange	43.0	28.0	52.0	0.1600	0.0626	5036108144693	15036108613523
C474	ORR4X/5X	Orange	43.0	28.0	58.0	0.1800	0.0698	5036108202980	15036108689023