

PS57 - Expertbase Wheel Safety Helmet

Collection: Head Protection

Range: PPE

Materials: PP, PE, Woven Webbing, Nylon

Outer Carton: 24

Product information

Our best seller Expertbase Safety Helmet is available with wheel ratchet adjustment size 55-62cm. High-density polypropylene shell, 4-point textile suspension harness. Soft sweatband is included. Spare parts are available.

Head Protection

Portwest's head protection range aims to benefit our customers by combining the most up to date styles and standards in head protection, irrespective of job or location. Innovative, comfortable and lightweight helmets available for multiple uses.

PPE

Portwest Head PPE range applies the latest standards to deliver the highest level of protection. Comfortable and lightweight, the PPE range will ensure a pleasant wear, even for long periods of use. Your safety is our mission.

Standards

EN 397 (-10°C / +50°C, LD, 440V a.c.)
EN 50365 Class:0



Features

- Unvented helmet shell for safe use with electrical applications
- Electrical insulation up to 1000Vac or 1500Vdc (EN 50365)
- 4-point textile suspension harness for enhanced wearer comfort and safety
- Size adjustable headband via wheel ratchet system
- Soft foam sweat band included
- Compatible with PW42 and PS42 clip-on ear muff
- Available in multiple colourways
- Electrical properties (440Vac)
- Compatible accessories available
- Up to 7 years lifetime from manufacturing date (as long as undamaged)
- Lateral deformation



PRODUCT SPECIFICATION & TECHNICAL DATASHEET

PS57 - Expertbase Wheel Safety Helmet

Commodity Code: 6506101000

Test House

BSI Group The Netherlands B.V. (Notified Body No.: NB: 2797)

John M. Keynesplein 9

, The Netherlands

Cert No: CE 717120

BSI Assurance UK Ltd (Notified Body No.: AB: 0086)

The British Standards Institution

MK5 8PP, United Kingdom

Cert No: UKCA 764125

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	GTIN/DUN14
PS57WHR	White	62.0	44.0	51.0	0.3480	0.1391	5036108327515	25036108816310